



US00D725206S

(12) **United States Design Patent**  
**Johnston**

(10) **Patent No.:** **US D725,206 S**  
(45) **Date of Patent:** **\*\* Mar. 24, 2015**

(54) **PITCH ROTATION INDICATOR DEVICE**

(71) Applicant: **Adam W. Johnston**, Houston, TX (US)

(72) Inventor: **Adam W. Johnston**, Houston, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/443,886**

(22) Filed: **Jan. 23, 2013**

(51) **LOC (10) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/713**

(58) **Field of Classification Search**  
USPC ..... D21/707-714, 780; 40/327;  
473/422-430, 451, 458, 468, 593-615,  
473/569-577; 434/247

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,925,273	A *	2/1960	Pratt	.....	473/451
4,199,141	A	4/1980	Garcia		
4,846,472	A	7/1989	Terza		
4,930,773	A	6/1990	Outlaw		
D357,500	S *	4/1995	Mutterperl	.....	D19/36
5,407,193	A	4/1995	McGinley		
5,566,935	A	10/1996	Meharg		
5,607,152	A *	3/1997	Strassburger	.....	473/451
5,700,211	A *	12/1997	Mackie	.....	473/613
5,704,855	A	1/1998	Kellogg, Jr.		
6,024,660	A	2/2000	Romanick		
6,050,907	A *	4/2000	Long	.....	473/453
6,471,606	B1	10/2002	Simpson		
6,500,078	B1	12/2002	Williams et al.		
6,663,519	B2	12/2003	Kuhn et al.		
6,945,883	B1	9/2005	Williams et al.		
7,175,550	B1	2/2007	Bellah, Jr. et al.		
D546,911	S *	7/2007	Kirschbaum et al.	.....	D21/713
7,488,265	B2	2/2009	Miller et al.		

D619,663	S *	7/2010	Quinn	.....	D21/713
8,439,774	B2 *	5/2013	Massey	.....	473/451
2009/0011870	A1 *	1/2009	Neal et al.	.....	473/451

**FOREIGN PATENT DOCUMENTS**

GB	4026002	*	11/2012
JP	D1391035	*	6/2010
WO	WO 2008018773	A2	2/2008

\* cited by examiner

*Primary Examiner* — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Buche & Associates, P.C.;  
John K. Buche; Scott Compton

(57) **CLAIM**



The ornamental design for a pitch rotation indicator device, as shown and described.


**DESCRIPTION**

FIG. 1 is a left, front and bottom perspective view of a pitch rotation indicator device showing my new design; FIG. 2 is front view thereof; FIG. 3 is a back view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a left and bottom perspective view showing the design in use; and, FIG. 9 is a top view showing the handle element in an alternate flexed position.


The broken lines depicting the seams and users hand are for illustrative purposes only and form no part of the claimed design. The surface appearance within the various spot out-lines forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**



**FIG. 7**



**FIG. 8**



**FIG. 9**